


YIDA

YIDA®
— 伊达地板 —


YIDA 23
HOMOGENEOUS VINYL FLOORING




4205




4201



4204



4202



4203

YIDA 23

HOMOGENEOUS VINYL FLOORING


100% recyclable
Size: 2.0mm x 2m x 20m



4206




4207



4208



4209




4210




4214




 100% recyclable
Size: 2.0mm x 2m x 20m




 4212




 4211



 4215



 4213




 4216



Product structure diagram

- ① **PUR treatment**
PUR special maintenance treatment
- ② **Homogeneous layer**
Compacted Homogeneous floorcovering



Product Specifications

Description	Standard	Unit	Result
Type of flooring	EN649		Homogeneous sheet
Total Thickness	EN428	mm	2.0
Width	EN426	m	2
Length Sheet	EN426	m	20
Weight	EN430	g/m ²	3050
Classification			
Fire rating	GB 8624–2012		GB 8624 BI (B _{fl-s} 1)
Toxic testing	GB 18586–2001		Good
Electrical resistance	EN1081		> 10 ⁹⁻¹⁰
Slip resistance dry	EN13893		≥0.3
Slip resistance wet	EN 51 130		R9–R10
Performances			
Abrasion group	EN660–2		P
Castor wheel test	EN425		Suitable
Color fastness	EN 20 105–B02		6
Chemical products resistance	EN423		Good
Dimensional stability	EN434	%	≤0. 40
Flexibility	EN435		Excellent
Hygiene treatment	MRSA		Very good
Impact sound reduction	ENISO717/2		Approx.+4dB
Indentation	EN433	mm	≈0.05
Residual indentation	EN433	mm	Approx.0.04
Surface treatment			PUR



The DOP detected value is not detected



Standard heavy metals in children's toys were not detected



The detected value of formaldehyde release is 0



No high-risk carcinogens have been detected in the EU



Release quantity 28 days to detect 1/200 euro standard